

MICROCOPY RESOLUTION TEST CHART

OFFICE OF NAVAL RESEARCH

CONTRACT NOO014-86-K-0234

TECHNICAL REPORT No. 12

Preparation and Characterization of Ba2YCu307.01(2)

by

S. Davison, K. Smith, R. Kershaw, K. Dwight and A. Wold

Prepared for Publication in

MATERIALS RESEARCH BULLETIN



Brown University
Department of Chemistry
Providence, RI 02912

Reproduction in whole or in part is permitted for any purpose of the United States Government

This document has been approved for public release and sale; its distribution is unlimited

PREPARATION AND CHARACTERIZATION OF Ba2YCu307.01(2)

S. Davison, K. Smith, R. Kershaw, K. Dwight and A. Wold*
Chemistry Department, Brown University
Providence, Rhode Island 02912

*Address all correspondence

ABSTRACT

Samples of Ba₂YCu₃O₇ were prepared both by ceramic techniques using BaCO₃, Y₂O₃, and CuO as well as by the decomposition of the corresponding nitrates. The preparations by each method are discussed and compared. In addition, the chemical instability of the pure phase Ba₂YCu₃O₇ in moist air is discussed.

MATERIALS INDEX: Stoichiometry, superconducting transition, stability

Introduction

Several investigators have reported that the phase responsible for the 93 K superconductor is $Ba_2YCu_3O_7$ (1-3). This compound crystallizes as a defect perovskite. The space group is Pmmm with a = 3.8198, b = 3.8849 and c = 11.6762. Barium and yttrium are ordered on the A-site to give a tripled cell along the c direction. The oxygens occupy 7/9 of the perovskite anion sites and are ordered such that 1/3 of the Cu is four-fold coordinated and 2/3 is five-fold coordinated (2).

Very little detailed information has appeared in the literature concerning the optimum conditions for the synthesis of $Ba_2YCu_3O_7$. Conditions necessary for obtaining the pure phase, utilizing the decomposition of the corresponding nitrates, are discussed and compared to the conventional ceramic techniques using $BaCO_3$, Y_2O_3 , and CuO. The chemical instability of the pure phase towards moist air will also be discussed.

Experimental

 $Ba_2YCu_3O_7$ was prepared by two different procedures. The preparation of $Ba_2YCu_3O_7$ from $BaCO_3$ (Fisher certified ACS lot 745985, preheated to 400°C for 3 hours), Y_2O_3 (Aesar 99.99% lot R-3529, preheated to 800°C for 12 hours) and analyzed CuO (J.T. Baker lot 32027) involved the usual ceramic techniques. The mixture of the carbonate and oxides was heated at 900°C for 24 hours.

For the preparation involving the nitrates, stoichiometric quantities of Y_2O_3 , BaCO₃, and copper metal (Aesar 99.999% lot 060586) were placed in porcelain crucibles and dissolved by slowly adding concentrated nitric acid (20 ml/g Cu). The excess HNO₃ was removed by gentle boiling and the samples were

Page 1

heated to 130°C for 6 hours. The sample was then heated to 400°C for 3 hours and ground. The sample was transferred to a stabilized zirconia crucible and heated to 800°C for 12 hours. Pellets were cold-pressed at 6 kbar and heated to 950°C for 12 hours. The pellets were then heated to 425°C for 6 hours and the temperature decreased at 50°C/hr to room temperature.

Powder samples used for TGA studies were prepared by partial decomposition of the nitrate mixture at 400°C followed by a second heating at 900°C for 24 hours.

Characterization

X-ray powder diffraction patterns of the samples were obtained using a Philips diffractometer and monochromated high intensity $\text{CuK}\alpha_1$ radiation (λ = 1.5405 Å). The diffraction patterns were taken in the range 12° < 20 < 72° with a scan rate of 1° 20/min and a chart speed of 30 in/hr.

Temperature programmed reduction of prepared samples was carried out using a Cahn System 113 thermal balance. A flowing atmosphere of $85\%Ar/15\%H_2$ (60 ml/min) was predried by passing it through a P_2O_5 column and was then passed through a hot Cu column to remove oxygen. The temperature was increased at 50° C/hr up to 1000° C until no further decrease in weight was observed.

The van der Pauw method was used to measure the electrical resistivity. Contacts were made by ultrasonically soldering indium directly onto the sintered discs of Ba2YCu3O7, and their ohmic behavior was established by measuring their current-voltage characteristics. The sample and thermocouple were in close proximity and located inside a small cavity of a massive copper body. This assembly was first cooled to 77 K and then allowed to slowly warm to room temperature.

Magnetic susceptibility measurements were carried out using a Faraday balance (4) from 77 to 300 K with a field strength of 10.4 kOe. Honda-Owens measurements were carried out at both 77 and 300 K.

Results and Discussion

Ba2YCu3O7 was prepared both by the reaction of BaCO3, Y2O3, and CuO according to published procedures and by the decomposition of the corresponding mixed metal nitrates. The changes in weight are plotted as functions of temperature for both reaction mixtures in Fig. 1. Copper nitrate and yttrium nitrate are completely converted to oxides by 400°C, so that the TGA results shown in Fig. 1 represent the ease of decomposition of barium nitrate compared to barium carbonate. It can readily be seen that barium nitrate is decomposed by 650°C whereas the carbonate does not decompose substantially until 900°C. It should therefore be possible to prepare Ba2YCu3O7 more readily via the decomposition of the mixed metal nitrates. From Fig. 2 it is seen that the phase Ba2YCu3O7 is not completely formed even after a 24 hour heat treatment of barium carbonate, yttrium oxide and copper (II) oxide at 900°C. However, from Fig. 3 the product is readily formed from the nitrates after being heated at




Fig. 1. Decomposition in air of a mixture of BaCO₃, Y₂O₃ and CuO compared with that of a mixture of the nitrates.




Fig. 2. X-ray diffraction patterns of a mixture of BaCO₃, Y₂O₃ and CuO heated at 900°C showing the presence of unreacted BaCO₃ after 12 hrs and a multiphase product after 24 hrs.




Fig. 3. X-ray diffraction patterns of a mixture of the nitrates heated at 900°C for 12 and 24 hrs showing the final product to be single-phase Ba2YCu3O7.




Fig. 4. Resistivity of Ba₂YCu₃O₇ as a function of temperature.




Fig. 5. Magnetic susceptibility of Ba₂YCu₃O₇ as a function of temperature.




Fig. 6. X-ray diffraction patterns of Ba₂YCu₃O₇ as prepared for the nitrates and after 48 hrs of exposure to moist air, showing partial decomposition of the sample.

900°C for 24 hours.

An important part of the preparative procedure is annealing the phase formed at 900-950°C in a flowing oxygen atmosphere at 425°C. This step assures a product which closely approaches the stoichiometric composition of Ba₂YCu₃O₇. Samples which were annealed at 425°C in oxygen and allowed to cool slowly at 50°C/hr were analyzed by reduction in an 85%Ar/15%H₂ atmosphere. As determined from the measured weight loss, the formula may be represented as Ba₂YCu₃O_{7.01(2)}.

The electrical resistivity and magnetic susceptibility of these samples were measured as functions of temperature and the results are plotted in Figs. 4 and 5. As can be seen from Fig. 4, the resistivity data defines an extremely sharp transition at a temperature of 92 K. The superconducting nature of the compound below this temperature is verified by the Meissner effect evident in the susceptibility data shown in Fig. 5.

The pure samples of Ba2YCu3O7 prepared from the nitrates were placed on a watch glass which was transferred to a desiccator containing water in place of the desiccant. After 48 hours, the sample was removed and subjected to visual and x-ray analysis. The black product contained numerous aggregated white particles. The x-ray analysis of the product is shown in Fig. 6 and indicates the formation of BaCO3. These results would indicate that the product is attacked by moist air and the instability of Ba2YCu3O7 will present problems for any practical device application.

Acknowledgments

This research was partially supported by the Office of Naval Research and by NSF Grant No. 820-3667. The authors also express their appreciation for the use of the Brown University's Materials Research Laboratory which is funded by the National Science Foundation.

References

- Ganguly, P., Ram, R.A.M., Sreedhar, K., Rao, C.N.R. Pramana-J. Phys. 28, L321 (1987).
- 2. Gallagher, P.K., O'Bryan, H.M., Sunshine, S.A., Murphy, D.W. To be published.
- 3. Rao, C.N.R., Ganguly P., Raychaudhuri, A.K., Ram, R.A.M., Sreedhar, K. Submitted to Nature.
- 4. B. Morris, A. Wold, Rev. Sci., Instrum. 39, 1937 (1968).

G./1113/87/2

ABSTRACTS BISTRIBUTION LIST, 055/625/629


Higher States Continue and the continue

OL/1113/86/2

TECHNICAL REPORT DISTRIBUTION LIST, GEN

3 : -

<u>c</u>	No. opies	9	No. optes
Office of Naval Research Attn: Code 1113 800 N. Ouincy Street Arlington, Virginia 22217-5000	2	Dr. David Young Code 334 NORDA WSTL, Mississippi 39529	1
Dr. Bernard Douda Naval Heapons Support Center Code 50C Crame, Indiana 47522-5050	1	Naval Weapons Conter Attn: Dr. Ron Atkins Chemistry Division China Lake, California 93555	1
Navel Civil Engineering Laboratory Attn: Or. R. W. Orisko, Code US2 Port Hueneme, California 93401	1 .	Scientific Advisor Commandant of the Marine Corps Code RD-1 Washington, D.C. 20380	1
Defense Technical Information Center Building 5, Cameron Station Alexandria, Virginia 22314	12 high quality	U.S. Army Research Office Attn: CRD-AA-IP P.O. Box 12211 Research Triangle Park, MC 27709	1
DTMSRDC Attn: Dr. H. Singerman Applied Chemistry Division	t	Mr. John Boyle Materials Branch Naval Ship Engineering Center Philadelphia, Pennsylvania 19112	1
Annapolis, Maryland 21401 Dr. William Tolles Superintendent Chemistry Division, Code 6100 Naval Research Laboratory Washington, O.C. 20375-5000	1	Naval Ocean Systems Center Attn: Dr. S. Yamamoto Marine Sciences Division San Diego, California 91232	1



#95774075 DISTRIBUTION LIST, 055/625/629

Br. Morta Mettu Chansery Department University of California Santa Barbara, California 93105

Dr. W. Goddard Desartment of Chemistry and Chemical Engineering California Institute of Technology Pasadena, California 3123

Gr. Stephen G. Keven Physics Department University Of Orecon Eugene, Oregon 97633

. . . .

Dr. David M. Methe Department of Chemistry University of Colorado Boulder, CD 803C9-C215

Dr. 4. Steck! Desertment of Electrical and Sistems Engineering Pensselent Folyscenic Institute Troys New York 12191

Or. 3. M. Morrison Department of Cremistry Cornell University Ithaca, New York 14853

Or. 4. Stuce King Department of Chemistry University of Secreta Attent, Georgia 33522

on, Richard J. Savigity Department of Chemistry Chieffinia of California Serveley, California (\$472)

ABSTRACTS DISTRIBUTION LIST. 574

Dr. tarl Frese, Jr. SRI International 333 Reventuood Avenue Henie Ferk, California 94025

Dr. Aeron Fletcher Code 1852 Maval bessens Center China Lase, Galifornia 93555

Dr. A. Wold Department of Enemistry Brown University Frontdence, Room Island 02912

Br. J. Cooper Code 6170 Mayal fesbarch Laboratory Washington, D.C. 20375-5000

Br. R. C. Betrd Department of Chemistry Queen's University Eingston, Canada R7L 3M6

Dr. A. M. Lightin Department of Chamistry Bostom University 665 Commonwealth Aurospo Bostom, Massachusetts 02215

Br. M. Elsenberg Department of Crevistry University of Rochester Rochester, New York 14627

JP. Alan H. Cutler
Department of Chamistry
Annielder Apilytocraic [metiute
Tray, NT 12180-3530

Dr. L. Facks Conservant of Chamberry Claraton Callery Patscam, New York 19676

Dr. 8. a. Puccing Nationals Science and Extraorerine Legardson Stanford University Stanford University Stanford, California 98305

Br. Carle Floridat Minerale et inaletrope Universite de Lassanne Flace du Chateau i Lausanne, Surtzerland

Br. Usley tournes Descriptors of Charactry Case ocstern forered University Cleveland, 26 44126

Br. 4. John Cassor Deservant of Chamsery University of Pittsburga Fittsburga, Ph. 15260

Dr. S. B. Worldw Describer of Chanistry Adura Leibersity Augura, Alebera 36830

Br. Threes J. House
Decertment of Crossery
University of Parts Carolina
Crass Hill, 42, 27514

Dr. Ceffron Line Department of Country University of California Les Angeles, California 19828

E/1113/87/2

ABSTRACTS DISTRIBUTION LIST, C58/625/529

Dr. G. A. Somerjai Department of Chemistry University of California Merkeley, California 94720

Dr. J. Murday Raval Research Laboratory Code 6170 Washington, B.C. 20275-5000

Br. W. T. Ports Electrical Engineering Department University of Hinnesata Hinnespelis, Hinnesata 55455

Br. Lotth H. Johnson
Bengarymen of Patallergy and
Bengaryment of Patallergy and
Bengaryments Science
Vestachwarts Institute of Fachnology
Cambridge, Persachusetts (2239)

Br. S. Sitemper Department of Chomistry James Franck Institute 5640 Ellis Avenue Chicago, Lilingis 60637

Dr. Arald Grand Suprium Surface Bynamics Branch Code 1817 Sant Headers Canter China Late, California 92555

Or. A. wald Constraint of Charletry Brougantoons of Indicates, Index (slong 02912

2r. S. L. Servagoe Imperiment of Champetry Pericetic Interposely Periotetys, the Jersey C1544

To, d. erm. Concernant of Journey Intermets of California, Son Biego La valla, Islifornia 57727 Br. L. Resmodel Cepartment of Payates Indiana University Bloomington, Indiana 47802

Br. K. C. Janda University of Pittsburg Charistry Building Pittsburg, PA 15288

Pr. E. A. Ireno Department of Chevistry University of North Carolina Chasel Hill, Morth Carolina 2751a

Dr. Adom Holler Boll Laborataries Perray Hill, Hen Jersoy 97974

Or. Martin Fleistranna Desertivet of Christing University of Southematon Southematon 579 544 UNITED KINGOOM

Br. H. Tachitana Cremistry Desertment Jackson State Liversity Jackson, Rississizai 33217

Br. John W. Bilbing Cornell University Liberatory of American Salid State Junton (Maca, New York 1885)

Dr. Remeid Lee #350 Havel Surface weapons Conner white Con Silver Spring, Revyland 20010

Dr. Brimer Come Department of Committee Land France Contracts [413 Elles Jones Chicago, 181 rens 62537

ABSTRACTS DISTRIBUTION LIST, 056/625/629

Dr. F. Carter Code \$173 Haral Pescarch Leberatory Washington, B.C. 23375-5008

Dr. Richard Coltan Code 6170 Raval Fesserch Loberatory Meshington, O.C. 20375-5000

Br. Don Florcy Restant? Survey of Standards Optics: Physics Dississ Vashington, B.C. 20234

Br. R. G. Walle Department of Physics University of California Ervine, California 92664

Br. B. Nameter Chamtetry Desartment George Massington University Washington, B.C. 20052

9r. J. C. Herminger Chartery Department University of California Irvine, Latifornia 1717 Br. T. F. George Chartester Couermant University of Achester Rechaster, New York 14827

Pochester, New York 16627
Cr. G. Rubjeff 194
Promes J. astson Research Conter
P.J. Pro 213
Portions respects you want 10598

Dr. J. Palanachutaton Ingerment of Countains and Thomass I described and Cattinum; inscribed of Inchmology Pasadona, Interferona 41225

Dr. Islan 3. Stutke Champing Laggerman nineegity of California Santa Bartara, vil. 92126 Br. John T. Yates Department of Chemistry University of Pittsburge Pittsburgh, Pennsylvania 13268

4./1113/67/2

By. R. Stanley Williams Desartment of Counstry University of California Les Angeles, California 90028

Dr. R. P. Hessmer Haterials Characterization Lab. Gameral Electric Camponer Schenectady, New York 22217

Br. J. T. Rotter Debertment of Capatatre University of Richand Richmond, Virginta 23273

Br. R. M. Plymper Department of Physics University of Penntylepata Philadelphia, Penntylepasa 19186

Br. E. Yeager Department of Chamistry Case wittern toserve Littoratty Claveland, Chie 41125

Br. N. Winnersd Department of Chemistre Pamerylyania State Leinemiste University Part, Pennsylvania 18802

Br. Roald morrages Coperture of Coperator Carnell University Etheca, New Yare 18853

Dr. Betore E. Sherres Constraint of Chamiston Columbity of California Las Angeles, CA. 81078

To. Tentes a tayinger Teserment to Commercia Countries of California Surscient CA 34779





MDF E D. 198 DTIC